Power To The Antenna D-CORE - Eca (N2XCY)

Power To The Antenna D-CORE is a shielded dual conductor power cable. It can be used as a DC power cable for the interconnexion between Base Unit and Radio Units on mobile towers or rooftops. The D-shape of the isolated conductors enables to reduce the diameter and weight of these cables with no negative impact on the properties. It also has best-in-class flexibility.

Applications

- Power cable 0.6/1.0 kV
- For indoor/outdoor applications
- Used on mobile phone masts

Cable construction

- 1. Bare conductor strand Class 5
- 2. Insulation (IEC 60811-1)XLPE
- 3. Longitudinal ALU/PET tape
- 4. Tinned copper braid (Coverage US >65%)
- 5. Outer sheath: HFFR Black Eca (EN50575)

Environment

Designed to reduce the environment impact, Aginode cables are compliant with RoHS 2011/65 Directive and European Reach 1907/2006/EC regulation.

D-CORE Picture





STANDARDS

EN 50575 IEC 60228 IEC 60332-1 IEC 60502-1

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Page 1 / 3



Power To The Antenna D-CORE - Eca (N2XCY)

CHARACTERISTICS

구조적 특성							
피복	저연 할로겐 프리						
Wire colour	Blue - Brown						
도체 재료	Bare copper class 5						
치수							
무게(근사치)	170 kg/km						
외경	11 mm						
도체 단면적	4 mm ²						
전기적 특성							
Minimum insulation resistance	10 MOhm.km						
Breakdown voltage Vcc, 5 min.	3500.0 V						
사용 특성							
난연	IEC 60332-1						
Bending factor when laying	8 (xD)						
설치 시 벤딩 요소	4 (xD)						

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Page 2 / 3



Product list

	Aginode ref.	Country ref.	이름	Wire colour	무게(근사치)	도체 단면적	외경
56		-	Power To The Antenna D-CORE - Eca 4mm ²	Blue - Brown	170 (kg/km)	4 (mm²)	11 (mm)
36		-	Power To The Antenna D-CORE - Eca 25mm ²	Blue - Brown	670 (kg/km)	25 (mm²)	17 (mm)
35		-	Power To The Antenna D-CORE - Eca 16mm ²	Blue - Brown	430 (kg/km)	16 (mm²)	13 (mm)
36		-	Power To The Antenna D-CORE - Eca 10mm ²	Blue - Brown	320 (kg/km)	10 (mm²)	13 (mm)
35		-	Power To The Antenna D-CORE - Eca 6mm ²	Blue - Brown	220 (kg/km)	6 (mm²)	12 (mm)
	📞 = Make to order, 🏭 = In Stock						

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Page 3 / 3

