


LANmark Industry DIN-Rail Outlets and boxes

LANMARK INDUSTRY MODULE DIN-RAIL MOUNT WITH 1 SNAP-IN CATEGORY 7A GREY

Aginode Ref: N20I.005

- For DIN-Rail mount (35mm)
- Data connection for industrial environments
- Easy termination, without punch down tool.
- Includes Mount + LANmark-7A shielded connector
- For technical enclosures, Wireless Access Points, Industrial cabinets

산업용 환경과 위험 노출 영역의 LAN을 위한 DIN-Rail mount 아웃렛과 박스.



STANDARDS

ISO/IEC 11801
ISO/IEC 24702

LANmark Industry module DIN-rail mount with 1 Snap-In

Category 7A grey

Characteristics

구조적 특성

색상	Grey
스크린	Yes
Cable entry	From the top
Material	ABS
Connector type	Snap-In

치수

Depth	65 mm
Height	77.8 mm
Width	18 mm
Dimensions of screw	N/A
Number of cables	1
Wall thickness	1.6 mm
Approximate weight per piece	0.03 kg
Length cable end on inner side	80.0 mm

전기적 특성

Maximal operating frequency	1000 MHz
Characteristic impedance	100 Ohm

기계적 특성

Mechanical resistance to impacts	Low
----------------------------------	-----

사용 특성

Electro magnetic interference resistance	Yes
Field of application	Industrial installations
Number of ports	1
Category	Cat. 7A
Component function	Cabling and Connectivity solutions
Packaging	Plastic bag
최대 운용 온도	70 °C

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Water proof

No

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.