Click-In Power Supplies for FTTO Switches

The LANactive Click-In power supply series is especially designed for Aginode LANactive FTTO switches with 54V DC input. The Click-In power supplies allow an easy and toolless installation based on the 45mm installation format.

- Power Supply for Aginode FTTO switch product range with 54V
 DC input
- Full PoE (IEEE 802.3af, at & bt) compatibility
- Easy and toolless installation
- Support of 45mm installation format
- Fanless System with aluminium surface for best thermal performance
- Redundant connection without external diodes possible
- Output Power: 70 or 130 Watt
- Control-LED
- Primary Connection (100-240V AC) via removable 3-pin connector
- Secondary connection (54V DC) via removable 3-pin connector
- Low Voltage Directive "Protection Class I"



All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.



Generated 25/12/2024 www.aginode.net

Page 1 / 3

Click-In Power Supplies for FTTO Switches

CHARACTERISTICS

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.



Generated 25/12/2024 www.aginode.net Page 2/3

Product list

	Aginode ref.	Country ref.	Name
ć.	88646241	-	Click-In Power Supply 54VDC/130W 135x45
C.	88646210	-	Click-In Power Supply 54VDC/70W 90x45
			└ = Make to order, !! = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.



Page 3 / 3