

16 Port Switches with HSR

Aginode LANactive Industry iGigaSwitch 1606 HSR is part of the LANactive Industry product portfolio and is designed for installing robust and reliable networks in harsh environment. LANactive Industry iGigaSwitch 1606 HSR is designed to provide maximum network availability, security, longest lifetime in harsh environments and making a network maintenance easier.

- 16 ports in total, 10x RJ45 and 6x SFP ports
- 2x SFP ports for Zero-Loss Redundancy (HSR/PRP)
- Optionally with integrated I/O module
- Optionally with Power over Ethernet
- IEC 61850 compliancy is tested and certified by KEMA/DNV-GL
- Wide operating temperature range: -40 ... +70/85°C



All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

16 Port Switches with HSR

CHARACTERISTICS

Resources

Documentation

Detailed datasheet pdf — 784.02 KB [Download](#) ↓

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name
☎	88306476	-	iGigaSwitch 1606 HSR SFP-6VI AC HW5
☎	88306406	-	iGigaSwitch 1606 HSR SFP-6VI

☎ = Make to order, 🏠 = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.