


I/O Module

I/O interface for LANactive iGigaSwitch 12xx and 16xx series.

LANactive Accessories

- Input Output Option for iGigaSwitch 12xx and 16xx series
- 2 output and 4 input contacts
- 24V DC Output Voltage

Optional I/O interface of iGigaSwitch 12xx and 16xx series allows a fast, simple and low-cost integration of non-IP based devices directly in the field - different sensors, controllers, buttons etc. In combination with the iGigaSwitch, the I/O Module offers extensive management functionalities with interactions, sending of messages as well as the activation of alarms.



I/O Module

CHARACTERISTICS

Resources

Documentation

Detailed Datasheet pdf — 190.91 KB [Download](#) ↓

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name	
☎	88301623	-	iOption I/O Digital 4xIn 2xOut 230V	☎ = Make to order, 📦 = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.