LANmark Zone Distribution Boxes

- For use as consolidation point.
- Compatible with all LANmark snap-in connectors.
- 6 or 12 numbered snap-in ports with shutters.
- Easy to install

Designed for use as consolidation points, zone distribution boxes significantly increase the flexibility of desk locations in open office environments. They are particularly useful in offices where frequent relocation of outlets in the work area is required.

Aginode ZD boxes are easy to install on walls, under raised floors or in ceiling voids, due to their multiple mounting features.

They are compatible with all LANmark Snap-In connectors, which can be easily inserted by a simple "one-click" movement.



All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.



Page 1 / 3

LANmark Zone Distribution Boxes

CHARACTERISTICS

Generated 15/11/2024 www.aginode.net

Construction characteristics	
Colour	White RAL 9002
Material	Steel
Dimensional characteristics	
Depth	200 mm
Height	45 mm
Width	230 mm
Usage characteristics	
Number of ports	12

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.



Page 2 / 3

Product list

	Aginode ref.	Country ref.	Name	Colour	Height	Width	Depth	
35	N521.600	-	LANmark ZD box 12 Snap-In White	White RAL 9002	45 (mm)	230 (mm)	200 (mm)	
35	N521.606	-	LANmark ZD box 6 Snap-In White	White RAL 9002	42 (mm)	120 (mm)	125 (mm)	
35	N521.612	-	LANmark Ruggedised Lockable ZD Box White	White RAL 9002	55 (mm)	260 (mm)	300 (mm)	
<i>.</i>	N521.6121	-	LANmark Ruggedised Lockable ZD Box Foot White	White RAL 9002	35 (mm)	253 (mm)	250 (mm)	
					S = Make to order, ■ = In Stock			

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

aginode

Page 3 / 3