


Desktop Power Supplies for FTTO Switches

The LANactive Desktop power supply series is especially designed for Aginode LANactive FTTO switches with 54V DC input.

Desktop power supply for LANactive FTTO switches

- Full PoE+, IEEE 802.3at, compatibility
- Fanless design
- Output Power: 65 Watts
- Control-LED
- Primary Connection (100-240V AC):
 - Three core wire H03VV cord, 1,5m, pre assembled with insulations screw joint or Schuko connector
- Secondary connection (54V DC):
 - Three core wire H03VV cord, 1m, with pre assembled 3-pin connector or moulded 3-pin connector
- Mutual connection of function earth
- Low Voltage Directive "Protection Class II"



All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Desktop Power Supplies for FTTO Switches

CHARACTERISTICS

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.

Product list

	Aginode ref.	Country ref.	Name
☎	88646077	-	Power Supply with Schuko 54VDC/65W
☎	88646066	-	Installation Power Supply 54VDC/65W
☎	88646283	-	Desktop Power Supply 54VDC/240W

☎ = Make to order, 🏠 = In Stock

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Aginode is indicative only and shall not be binding on Aginode or be treated as constituting a representation on the part of Aginode.